



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/539,482	03/30/2000	Kenneth R James	ADAPP120	8403

7590 06/18/2003

RICK VON WOHL
MARTINE & PENILLA
710 LAKEWAY DRIVE SUITE 170
SUNNYVALE, CA 94085

EXAMINER

RONES, CHARLES

ART UNIT PAPER NUMBER

2175

DATE MAILED: 06/18/2003

14

Please find below and/or attached an Office communication concerning this application or proceeding.

SK

Office Action Summary

Application No.

09/539,482

Applicant(s)

JAMES, KENNETH R

Examiner

Charles L. Rones

Art Unit

2175

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 09 June 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-26 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-26 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Amendment

The amendment timely filed on June 9, 2003 has been entered.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-26 are rejected under 35 U.S.C. 102(b) as being anticipated by Osterlund U.S. Patent No. 5,034,914 ('Osterlund').

As to claim 1,

examining a set of files selected to be recorded on the optical disc; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20;

creating a record data structure for each file in the set of files to be recorded on the optical disc; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20;

generating a set of pointers to associate the record data structures with a writing order; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20;

processing each of the record data structures one after another in the writing order to produce ordering data structures for each file in the set of files; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20; and

Art Unit: 2175

processing the ordering data structures to write the set of files onto the optical disc in the writing order; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

As to claim 2,

wherein the record data structure includes one or more of a group of information strings comprising a file parent, a volume label index, a file size, a logical block number of a data file, a file path, a file attributes, a data mode, a removable media indicator, an embedded subheader string, and an imported file indicator; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

As to claim 3,

designating data files to be written to system cache memory; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20;

assigning data files designated to be written to system cache memory to a specific location in system cache memory; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20;

verifying that the record data structures accurately define each of the set of files; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

As to claim 4,

wherein each of the ordering data structures include pointers to a source file; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

Art Unit: 2175

As to claim 5,

wherein the pointers include one or more of a group of information strings referencing source data files and including a file source path, a file start offset, a file end offset, and a file pad to size; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

As to claim 6,

wherein the processing of the ordering data structures includes passing the ordering data structures to a CD recording engine, the CD recording engine writing the set of files onto the optical disc in the writing order; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

As to claim 7,

receiving a request to write the set of files; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

As to claim 8,

wherein the method is executed by computer executing code that defines a file system database block; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

Art Unit: 2175

As to claim 9,

generating a set of pointers to associate record data structures with a writing order; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20;

processing each of the record data structures one after another in the writing order to produce ordering data structures for each file in a set of files; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20; and

processing the ordering data structures to write the set of files onto the optical disc in the writing order; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

As to claim 10,

examining a set of files selected to be recorded on the optical disc; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

As to claim 11,

creating a record data structure for each file in the set of files to be recorded on the optical disc; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

As to claim 12,

wherein the record data structure includes one or more of a group of information strings comprising a file parent, a volume label index, a file size, a logical block

Art Unit: 2175

number of a data file, a file path, a file attributes, a data mode, a removable media indicator, an embedded subheader string, and an imported file indicator; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

As to claim 13

designating data files to be written to system cache memory; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20;

assigning data files designated to be written to system cache memory to a specific location in system cache memory; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20;

verifying that the record data structures accurately define each of the set of files; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

As to claim 14,

wherein each of the ordering data structures include pointers to a source file; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

As to claim 15,

wherein the pointers include one or more of a group of information strings referencing source data files and including a file source path, a file start offset, a file end offset, and a file pad to size; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

Art Unit: 2175

As to claim 16,

wherein the processing of the ordering data structures includes passing the ordering data structures to a CD recording engine, the CD recording engine writing the set of files onto the optical disc in the writing order; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

As to claim 17,

receiving a request to write the set of files; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

As to claim 18,

wherein the method is executed by computer executing code that defines a file system database block; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

As to claim 19,

program instructions for examining a set of files selected to be recorded on the optical disc; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20;

program instructions for creating a record data structure for each file in the set of files to be recorded on the optical disc; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20;

program instructions for generating a set of pointers to associate record data structures with a writing order; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20;

Art Unit: 2175

program instructions for processing each of the record data structures one after another in the writing order to produce ordering data structures for each file in a set of files; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20; and

program instructions for processing the ordering data structures to write the set of files onto the optical disc in the writing order; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

As to claim 20,

wherein the record data structure includes one or more of a group of information strings comprising a file parent, a volume label index, a file size, a logical block number of a data file, a file path, a file attributes, a data mode, a removable media indicator, an embedded subheader string, and an imported file indicator; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

As to claim 21,

designating data files to be written to system cache memory; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20;

program instructions for assigning data files designated to be written to system cache memory to a specific location in system cache memory; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20;

program instructions for verifying that the record data structures accurately define each of the set of files; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

As to claim 22,

wherein each of the ordering data structures include pointers to a source file; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

As to claim 23,

wherein the pointers include one or more of a group of information strings referencing source data files and including a file source path, a file start offset, a file end offset, and a file pad to size; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

As to claim 24,

wherein the processing of the ordering data structures includes program instructions for passing the ordering data structures to a CD recording engine, the CD recording engine writing the set of files onto the optical disc in the writing order; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

As to claim 25,

receiving a request to write the set of files; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

Art Unit: 2175

As to claim 26,

defining a file system database block; See Abstract; 5:13-60; 6:4-44; 13:45-65; 14:1-20.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) do not apply to the examination of this application as the application being examined was not (1) filed on or after November 29, 2000, or (2) voluntarily published under 35 U.S.C. 122(b). Therefore, this application is examined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

Claims 1-26 are rejected under 35 U.S.C. 102(e) as being anticipated by McMurdie et al. U.S. Patent No. 6,401,169 ('McMurdie').

McMurdie discloses:

Art Unit: 2175

As to claim 1,

examining a set of files selected to be recorded on the optical disc; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18;

creating a record data structure for each file in the set of files to be recorded on the optical disc; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18;

generating a set of pointers to associate the record data structures with a writing order; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18;

processing each of the record data structures one after another in the writing order to produce ordering data structures for each file in the set of files; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18; and

processing the ordering data structures to write the set of files onto the optical disc in the writing order; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

As to claim 2,

wherein the record data structure includes one or more of a group of information strings comprising a file parent, a volume label index, a file size, a logical block number of a data file, a file path, a file attributes, a data mode, a removable media indicator, an

Art Unit: 2175

embedded subheader string, and an imported file indicator; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

As to claim 3,

designating data files to be written to system cache memory; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18;

assigning data files designated to be written to system cache memory to a specific location in system cache memory; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18;

verifying that the record data structures accurately define each of the set of files; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

As to claim 4,

wherein each of the ordering data structures include pointers to a source file; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

Art Unit: 2175

As to claim 5,

wherein the pointers include one or more of a group of information strings referencing source data files and including a file source path, a file start offset, a file end offset, and a file pad to size; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

As to claim 6,

wherein the processing of the ordering data structures includes passing the ordering data structures to a CD recording engine, the CD recording engine writing the set of files onto the optical disc in the writing order; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

As to claim 7,

receiving a request to write the set of files; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

As to claim 8,

wherein the method is executed by computer executing code that defines a file system database block; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

As to claim 9,

generating a set of pointers to associate record data structures with a writing order; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18;

processing each of the record data structures one after another in the writing order to produce ordering data structures for each file in a set of files; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18; and

processing the ordering data structures to write the set of files onto the optical disc in the writing order; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

As to claim 10,

examining a set of files selected to be recorded on the optical disc; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

As to claim 11,

creating a record data structure for each file in the set of files to be recorded on the optical disc; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

As to claim 12,

wherein the record data structure includes one or more of a group of information strings comprising a file parent, a volume label index, a file size, a logical block number of a data file, a file path, a file attributes, a data mode, a removable media indicator, an embedded subheader string, and an imported file indicator; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

As to claim 13

designating data files to be written to system cache memory; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18;

assigning data files designated to be written to system cache memory to a specific location in system cache memory; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18;

verifying that the record data structures accurately define each of the set of files; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

As to claim 14,

wherein each of the ordering data structures include pointers to a source file; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

As to claim 15,

wherein the pointers include one or more of a group of information strings referencing source data files and including a file source path, a file start offset, a file end offset, and a file pad to size; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

As to claim 16,

wherein the processing of the ordering data structures includes passing the ordering data structures to a CD recording engine, the CD recording engine writing the set of files onto the optical disc in the writing order; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

As to claim 17,

receiving a request to write the set of files; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

As to claim 18,

wherein the method is executed by computer executing code that defines a file system database block; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

Art Unit: 2175

As to claim 19,

program instructions for examining a set of files selected to be recorded on the optical disc; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18;

program instructions for creating a record data structure for each file in the set of files to be recorded on the optical disc; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18;

program instructions for generating a set of pointers to associate record data structures with a writing order; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18;

program instructions for processing each of the record data structures one after another in the writing order to produce ordering data structures for each file in a set of files; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18; and

program instructions for processing the ordering data structures to write the set of files onto the optical disc in the writing order; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

As to claim 20,

wherein the record data structure includes one or more of a group of information strings comprising a file parent, a volume label index, a file size, a logical block number of a data file, a file path, a file attributes, a data mode, a removable media indicator, an

Art Unit: 2175

embedded subheader string, and an imported file indicator; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

As to claim 21,

designating data files to be written to system cache memory; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18;

program instructions for assigning data files designated to be written to system cache memory to a specific location in system cache memory; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18;

program instructions for verifying that the record data structures accurately define each of the set of files; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

As to claim 22,

wherein each of the ordering data structures include pointers to a source file; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

Art Unit: 2175

As to claim 23,

wherein the pointers include one or more of a group of information strings referencing source data files and including a file source path, a file start offset, a file end offset, and a file pad to size; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

As to claim 24,

wherein the processing of the ordering data structures includes program instructions for passing the ordering data structures to a CD recording engine, the CD recording engine writing the set of files onto the optical disc in the writing order; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

As to claim 25,

receiving a request to write the set of files; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

As to claim 26,

defining a file system database block; See Abstract; Figs.: 2A-B, 4, 6A; 1:39-67; 3:8-67; 4:1-11; 5:20-67; 6:1-40; 7:20-39; 8:25-54; 9:1-18.

Response to Arguments

Applicant's arguments are not deemed to be persuasive.

Firstly, Applicant does not argue that McMurdie does not disclose a record data structure.

In response, Examiner maintains that McMurdie discloses such wherein a table and a directory descriptor that is recorded after the files are deemed to be record data structure; See 5:60-67; 6:1-5.

Secondly, Applicant argues that McMurdie does not disclose how the files or other data are processed by the host system from the source to the CD recording engine.

In response, Examiner maintains that the corresponding element that Examiner believes Applicant is referred to is shown by McMurdie. A set of pointers are associated with the record data structures with a writing order; See 5:41-67; 6:1-5. Further Applicant's written argument as stated above is not what is claimed.

Thirdly, Applicant argues that McMurdie does not disclose record data structures and therefore does not teach sequential processing.

Art Unit: 2175

In response, Examiner maintains that McMurdie teaches record data structures and that the information is written to track 1, 2, 3, and 4 which are sequential; See 5:41-67.

Fourthly, Applicant argues that McMurdie does not disclose an order for writing data to the destination optical disc.

In response, Examiner maintain that McMurdie teaches such. See previous response above.

Fifthly, Applicant argues that McMurdie does not disclose record data structures.

In response, Examiner maintains that McMurdie teaches such. See previous corresponding response above.

Sixthly, Applicant argues that McMurdie does not disclose record data structurea and ordering data structures.

In response, Examiner maintains that McMurdie teaches such. See previous corresponding response above. Further, the directory structure is also deemed to provide order.

Art Unit: 2175

Lastly, Applicant argues that McMurdie does not disclose structures and ordering previously mentioned above.


In response, Examiner maintains that McMurdie teaches such. See previous corresponding response above.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles L. Rones whose telephone number is 703-306-3030. The examiner can normally be reached on Monday-Thursday 8am-4pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dov Popovici can be reached on 703-305-3830. The fax phone numbers for the organization where this application or proceeding is assigned are 703-746-7239 for regular communications and 703-746-7238 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-3800.



**Charles L. Rones
Primary Examiner
Art Unit 2175**

March 4, 2003